



Bulletin HY14-2005-B1/US

Mobile Sectional Valves

Distributor Stock Components Quick Conversion Guide

Effective: April 15, 2005

Supersedes: March 1, 2004

Part Number Comparison Cross Reference List

Use with . . .

**Master Distributor Stock Components
Bulletin HY14-2700/US**

**Distributor Valve Program
Bulletin HY14-2000/US**

**WARNING**

FAILURE OR IMPROPER SELECTION OR IMPROPER USE OF THE PRODUCTS AND/OR SYSTEMS DESCRIBED HEREIN OR RELATED ITEMS CAN CAUSE DEATH, PERSONAL INJURY AND PROPERTY DAMAGE.

This document and other information from Parker Hannifin Corporation, its subsidiaries and authorized distributors provide product and/or system options for further investigation by users having technical expertise. It is important that you analyze NOTE: NOTE: All aspects of your application and review the information concerning the product or system in the current product catalog. Due to the variety of operating conditions and applications for these products or systems, the user, through its own analysis and testing, is solely responsible for making the final selection of the products and systems and assuring that NOTE: NOTE: All performance, safety and warning requirements of the application are met.

The products described herein, including without limitation, product features, specifications, designs, availability and pricing, are subject to change by Parker Hannifin Corporation and its subsidiaries at any time without notice.

Offer of Sale

The items described in this document are hereby offered for sale by Parker Hannifin Corporation, its subsidiaries or its authorized distributors. This offer and its acceptance are governed by the provisions stated in the "Offer of Sale".

© Copyright 2005, 2004, 2003 Parker Hannifin Corporation, All Rights Reserved



Contents

Series DVG18 to Series V20 1 - 6

Series VG80 to Series V90 8 - 9

Series 25P to Series DVA20 12 - 15

Series V40 to Series DVA20 16 - 21

Series V42 to Series DVA20 22 - 24

Series V50 to Series DVA35 26 - 27

**Series DVG18 to
Series V20**

and

**Series VG80 to
Series V90**

Series DVG18 to Series V20

Page* = reference PL HY14-2000/US

Page** = cross-reference to PL HY14-2700/US

Page*	Code	Part No
	DVG18 Inlets	
1	DVG18-A000	346-9175-005
1	DVG18-A005	346-9175-002
1	DVG18-A008	346-9175-001
1	DVG18-A050	346-9175-009
1	DVG18-A333	346-9175-012
1	DVG18-A444	346-9175-010
1	DVG18-A500	346-9175-008
1	DVG18-A500	346-9175-004
1	DVG18-A700	346-9175-011
1	DVG18-A700	346-9175-003
1	DVG18-A777	346-9175-007
	DVG18 Inlet Accessories	
2	DVG18-MRV-1	391-1873-125
2	DVG18-MRV-2	391-1873-126
2	DVG18-MRVP/PRVP	391-1873-109
	DVG18 Mid Inlets	
1	DVG18-CFA55	346-9174-004
1	DVG18-CFA88	346-9174-003
1	DVG18-CFAC88	346-9174-009
1	DVG18-MFC	346-9174-014
1	DVG18-SFA00	346-9174-007
1	DVG18-SFA55	346-9174-002
1	DVG18-SFA88	346-9174-001
	DVG18 Mid Inlet Accessories	
2	DVG18-MMRV-1	391-1873-187
2	DVG18-MMRV-2	391-1873-188
2	DVG18-MMRVP	391-1873-189

Page**	Code	Part No	Comments
			N/A
16	20-LC-12	8650029	Plug unused ports
16	20-lc-75	8650030	Plug unused ports
16	20-LC-12	8650029	Plug unused ports
			Contact factory
			Contact factory
16	20-LC-12	8650029	Plug unused ports
16	20-LC-12	8650029	Plug unused ports
			Contact factory
			Contact factory
			Contact factory
			Contact factory
16	WH-1200	8650417	Add K-WH-A
16	RP51A-3000	8650421	Or WH-1700, WH-1950, WH-2550
16	K-20-NR	8650382	
33	20-12-CF	8650003	No outlet port, 2500 PSI max
33	20-75-CF	8650001	No outlet port, 2500 PSI max
			N/A
			Contact factory
			N/A
33	20-12-SF	8650004	No outlet port, 2500 PSI max
33	20-75-SF	8650002	No outlet port, 2500 PSI max
16	WH-1200	8650417	Or RP51A-3000
16	RP51A-3000	8650421	Or WH-1700, WH-1950, WH-2550
16	K-20-NR	8650382	

NOTE: V20 work sections use handle brackets and have female clevis spools.

Series DVG18 to Series V20

Page* = reference PL HY14-2000/US

Page** = cross-reference to PL HY14-2700/US

Page*	Code	Part No
	DVG18 Work Sections	
4	DVG18-GC355	346-9172-030
4	DVG18-GC455	346-9172-013
4	DVG18-GC755	346-9172-014
4	DVG18-HA000	346-9172-015
4	DVG18-HA055	346-9172-001
4	DVG18-HA300	346-9172-026
4	DVG18-HA355	346-9172-027
4	DVG18-HA400	346-9172-005
4	DVG18-HA400-FCL	346-9172-047
4	DVG18-HA455	346-9172-003
4	DVG18-HA455-FCL	346-9172-048
4	DVG18-HA700	346-9172-004
4	DVG18-HA700-FCL	346-9172-051
4	DVG18-HA755	346-9172-002
4	DVG18-HB355	346-9172-039
4	DVG18-HB455	346-9172-012
4	DVG18-HB755	346-9172-011
3	DVG18-HK455	346-9172-031
3	DVG18-HV400	346-9172-036
3	DVG18-HV455	346-9172-037
3	DVG18-HV755	346-9172-038
3	DVG18-HX400	346-9172-035
3	DVG18-HX455	346-9172-021
3	DVG18-HX755	346-9172-022
4	DVG18-JA000	346-9171-001
4	DVG18-JA005	346-9171-022
4	DVG18-JA300	346-9171-009
4	DVG18-JA305	346-9171-010
4	DVG18-JA305-FCL	346-9171-023
4	DVG18-JA400	346-9171-004
4	DVG18-JA405	346-9171-003
4	DVG18-JA405-FCL	346-9171-014
4	DVG18-JA700	346-9171-005
4	DVG18-JA705	346-9171-002

Page**	Code	Part No	Comments
18	20-08-K4	13650150	
18	20-10-K4	8650014	
18	20-50-K4	8650015	
			N/A
			N/A
18	20-08-04	13650148	
18	20-08-04	13650148	
18	20-10-04	8650020	
18	20-10-04	8650020	
18	20-10-04	8650020	
18	20-10-04	8650020	
18	20-10-04	8650020	
18	20-50-04	8650021	
18	20-50-04	8650021	
18	20-50-04	8650021	
18	20-08-04	13650148	Add K-20-D detent kit
18	20-10-04	8650020	Add K-20-D detent kit
18	20-50-04	8650020	Add K-20-D detent kit
18	20-10-04-SOL-E-12	8650013	V20 has manual o/ride
18	20-10-04-PA1	13650964	
18	20-10-04-PA1	13650964	
18	20-50-04	8650021	Add K-20-PA1 pneumatic kit
18	20-10-04-HRO	8650378	V20 has o/ride
18	20-10-04-HRO	8650378	V20 has o/ride
18	20-50-04	8650021	Add K-20-HR remote kit
			N/A
			N/A
18	20-08-03	13650149	
18	20-08-03	13650149	
18	20-08-03	13650149	
18	20-10-03	8650016	
18	20-10-03	8650016	
18	20-10-03	8650016	
18	20-50-03	8650017	
18	20-50-03	8650017	

NOTE: V20 work sections use handle brackets and have female clevis spools.

Series DVG18 to Series V20

Page* = reference PL HY14-2000/US

Page** = cross-reference to PL HY14-2700/US

Page*	Code	Part No
	DVG18 Work Sections (cont)	
4	DVG18-JA705-FCL	346-9171-015
4	DVG18-JB305	346-9171-024
3	DVG18-JLA405	346-9171-020
3	DVG18-JLA505	346-9171-013
3	DVG18-JLA705	346-9171-006
3	DVG18-JLB405	346-9171-021
3	DVG18-JLB705	346-9171-007
3	DVG18-HKR455	346-9172-032
4	DVG18-LA000	346-9172-016
4	DVG18-LA055	346-9172-006
4	DVG18-LA300	346-9172-028
4	DVG18-LA355	346-9172-029
4	DVG18-LA400	346-9172-010
4	DVG18-LA400-FCL	346-9172-049
4	DVG18-LA455	346-9172-008
4	DVG18-LA455-FCL	346-9172-050
4	DVG18-LA555	346-9172-019
4	DVG18-LA555-FCL	346-9172-055
4	DVG18-LA700	346-9172-009
4	DVG18-LA700-FCL	346-9172-053
4	DVG18-LA755	346-9172-007
4	DVG18-LA755-FCL	346-9172-054
4	DVG18-LB355	346-9172-040
4	DVG18-LB400	346-9172-017
4	DVG18-LB455	346-9172-042
4	DVG18-LB700	346-9172-041
4	DVG18-LB755	346-9172-043
3	DVG18-LK455	346-9172-044
3	DVG18-LX455	346-9172-023
3	DVG18-LX755	346-9172-024
3	DVG18-QHA455	346-9172-045
3	DVG18-QHA755	346-9172-046
3	DVG18-QHKR455	346-9172-033
	DVG18-WHA499	346-9172-071

Page**	Code	Part No	Comments
18	20-50-03	8650017	
18	20-08-03	13650149	Add K-20-D detent kit
			Contact factory
			Contact factory
			Contact factory
			Contact factory
			Contact factory
18	20-10-K04-2000	8650011	
			N/A
			N/A
18	20-08-F4	13650151	
18	20-08-F4	13650151	
18	20-10-F4	8650018	
18	20-10-F4	8650018	
18	20-10-F4	8650018	
18	20-10-F4	8650018	
			Contact factory
			Contact factory
18	20-50-F4	8650019	
18	20-50-F4	8650019	
18	20-50-F4	8650019	
18	20-50-F4	8650019	
18	20-08-DF4	13650838	
18	20-10-DF4	8650009	
18	20-10-DF4	8650009	
			Contact factory
			Contact factory
18	20-10-F4-SOL-E-12	13650529	V20 has manual o/ride
18	20-10-F4-HRO	13650965	V20 has o/ride
			Contact factory
19	20T-10-04	8650008	
			Contact factory
19	20T-10-K04-2000	13650967	
19	20S-10-04	8650637	

NOTE: V20 work sections use handle brackets and have female clevis spools.

Series DVG18 to Series V20

Page* = reference PL HY14-2000/US

Page** = cross-reference to PL HY14-2700/US

Page*	Code	Part No
	DVG18 Outlets	
2	DVG18-TRB	346-9176-006
2	DVG18-TRC000	346-9176-009
2	DVG18-TRC055	346-9176-010
2	DVG18-TRC087	346-9176-011
	DVG18-Y45	346-9176-017
	DVG18-Z05	346-9176-016
	DVG18 Outlet Accessories	
2	DVG18-PBS10	391-1873-225
2	DVG18-PBS75	391-1873-226
	DVG18 Studs	
2	DVG18-SK-1	391-1873-347
2	DVG18-SK-2	391-1873-348
2	DVG18-SK-3	391-1873-349
2	DVG18-SK-4	391-1873-350
2	DVG18-SK-5	391-1873-351
2	DVG18-SK-6	391-1873-352
2	DVG18-SK-7	391-1873-353
2	DVG18-SK-8	391-1873-354
	DVG18 Port Accessories	
6	DVG18-AC	391-1873-108
6	DVG18-LVDA	391-1873-192
6	DVG18-LVSA	391-1873-193
6	DVG18-MRVP/PRVP	391-1873-109
6	DVG18-PRV-1	391-1873-106
6	DVG18-PRV-2	391-1873-107
6	DVG18-PRVAC-1	391-1873-104
6	DVG18-PRVAC-2	391-1873-105
6	DVG18-RS	391-1873-190
6	DVG18-RSF	391-1873-191

Page**	Code	Part No	Comments
			Contact factory
			N/A
17	20-RC-12-E-MY	8650024	No top port
17	20-RC-75-E-MY	8650027	No top port
17	20-RC-12-E-MY	8650024	Add K-20-10-Y P/B sleeve
17	20-RC-12-E	13650146	
17	K-20-10-Y	8650103	
17	K-20-50-Y	8650101	V20 is 1/2" NPT
31	K-20-1	8650087	
31	K-20-2	8650088	
31	K-20-3	8650089	
31	K-20-4	8650090	
31	K-20-5	8650091	
31	K-20-6	8650092	
31	K-20-7	8650093	
31	K-20-8	8650094	
32	K-20-AC	8650380	Contact factory
			Contact factory
			Included in V20 sections
32	RC-1200 or 1700		See pressure ranges for R/V's
32	RC-1700,1950 or 2550		See pressure ranges for R/V's
32	CRA-1200 or 1700		See pressure ranges for R/V's
32	CRA-1700,1950 or 2550		See pressure ranges for R/V's
			Contact factory
			Contact factory

NOTE: V20 work sections use handle brackets and have female clevis spoils.

Series DVG18 to Series V20

Page* = reference PL HY14-2000/US

Page** = cross-reference to PL HY14-2700/US

Page*	Code	Part No
	DVG18 Handles	
7	DVG18-HDL	391-1873-247
7	DVG18-HDLB	391-1873-248
7	DVG18-HH-1	391-1873-163
7	DVG18-HH-2	391-1873-164
7	DVG18-HH-3	391-1873-165
7	DVG18-HIB	391-1873-236
7	DVG18-HP-1	391-1873-169
7	DVG18-HP-2	391-1873-186
7	DVG18-HPB	391-1873-197
7	DVG18-HV-1	391-1873-166
7	DVG18-HV-2	391-1873-167
7	DVG18-HV-3	391-1873-168
	DVG18 Kits	
7	DVG18-K-1	391-1873-123
7	DVG18-K-2	391-1873-124
	DVG18-K-3	391-1873-333
7	DVG18-K-300	391-1873-118
7	DVG18-K-301	391-1873-119
7	DVG18-K-303	391-1873-120
7	DVG18-K-307	391-1873-121
7	DVG18-K-308	391-1873-122
7	DVG18-K-309	391-1873-184
7	DVG18-K-310	391-1873-221
7	DVG18-K-311	391-1873-182
7	DVG18-K-312	391-1873-222
7	DVG18-K-314	391-1873-298

Page**	Code	Part No	Comments
31	K-20-VH-P	8650153	K-20-VH-B for black handle
31	K-20-VH-P	8650153	Add K-20-Boot
31	K-20-HH-P	8650156	K-20-HH-B for black handle
31	K-20-HH-P	8650156	K-20-HH-B for black handle
31	K-20-HH-P	8650156	K-20-HH-B for black handle
31	K-20-Boot	8650112	
31	MJA2-20L-NN	13650688	N/A
31	MJA2-20R-NN	13650689	N/A
			Contact factory
31	K-20-VH-P	8650153	K-20-VH-B for black handle
31	K-20-VH-P	8650153	K-20-VH-B for black handle
31	K-20-VH-P	8650153	K-20-VH-B for black handle
			Contact factory
			Contact factory
			Contact factory
			Contact factory
30	K-20-D	8650105	
30	K-20-PA1	8650630	
30	K-20-R	8650106	
30	K-20-RO	26157043	
30	K-20-HR	8650575	
30	K-20-SOL-E-12	8650098	
			Contact factory
			Contact factory
			N/A

Series VG80 to Series V90

Page* = reference PL HY14-2000/US

Page** = cross-reference to PL HY14-2700/US

Page*	Code	Part No
	DVG80 Inlets	
28	DVG80-A0000	349-9175-003
28	DVG80-A0404	349-9175-005
	DVG80-A0800	349-9175-008
28	DVG80-A0808	349-9175-002
28	DVG80-A4040	349-9175-004
	DVG80-A8000	349-9175-009
28	DVG80-A8080	349-9175-001
	DVG80 Inlet Accessories	
28	DVG80-MRV-1	391-1873-317
28	DVG80-MRV-2	391-1873-318
28	DVG80-MRVP-1	391-1873-316
	DVG80 Mid Inlets	
	DVG80-CFA00	349-9174-001
	DVG80-CFA33	349-9174-002
	DVG80-SFA00	349-9174-003
	DVG80-SFA33	349-9174-004
	DVG80 Mid Inlet Accessories	
	DVG80-MMRV	391-1873-146
	DVG80-MMRVP	391-1873-147
	DVG80 Work Sections	
29	DVG80-HA055	349-9172-001
29	DVG80-HA255	349-9172-014
29	DVG80-HA355	349-9172-015
29	DVG80-HA755	349-9172-009
	DVG80-HB355	349-9172-020
29	DVG80-HB755	349-9172-006
29	DVG80-HX355	349-9172-016
29	DVG80-HX755	349-9172-005
29	DVG80-JA205	349-9171-002
29	DVG80-JA305	349-9171-003
29	DVG80-JA705	349-9171-001
29	DVG80-LA055	349-9172-010
29	DVG80-LA255	349-9172-017

Page**	Code	Part No	Comments
68	90-LC-150-T	13650023	Contact factory
68	90-LC-24-T	13650025	Plug outlet port
68	90-LC-24-T	13650025	
68	90-LC-150-E	13650022	
68	90-LC-24-E	13650024	Plug outlet port
68	90-LC-24-E	13650024	
68	RP70A-2500	8650968	
68	RP70A-2500	8650968	
68	K-70-NR	8650376	
			N/A
			N/A
			N/A
			N/A
			N/A
			N/A
			Contact Factory
69	90-100-04	13650035	
69	90-100-04	13650035	V90 has 1" split flange ports
69	90-20-04	13650036	
			Contact factory
69	90-20-04	13650036	Add K-70-D detent kit to V90
69	90-100-04-HR	13650043	V90 has 1" split flange ports
69	90-20-04-HR	13650044	
69	90-100-03	13650031	
69	90-100-03	13650031	V90 has 1" split flange ports
69	90-20-03	13650032	
			Contact Factory
69	90-100-F4	13650037	

**Series 25P, V40 and V42
to Series DVA20**

and

**Series V50 to
Series DVA35**

Series 25P to Series DVA20

Page* = reference PL HY14-2700/US

Page** = cross-reference to PL HY14-2000/US

Page *	Code	Part No
25P Outlet/Integral Option Kits		
37	K-25-X	8650109
37	K-25-C	8650110
37	K-25-12-Y	8650081
37	K-25-75-Y	8650111
25P Parallel Work Sections		
38	25-75-03	13650120
38	25-75-U-03	8650343
38	25-12-03	13650123
38	25-12-U-03	13650128
38	25-16-U-03	8650364
38	25-75-04	8650341
38	25-75-U-04	13650121
38	25-75-UL-04	8650339
38	25-75-W4	8650941
38	25-10-04	8650615
38	25-10-U-04	8650479
38	25-12-04	13650122
38	25-12-U-04	13650129
38	25-12-UL-04	13650130
38	25-16-04	8650338
38	25-16-UL-04	8650340
38	25-16-UL-W4-SS	8650508
38	25-75-F4	8650337
38	25-12-F4	13650124
38	25-16-F4	8650342
38	25-16-WF4-SS	8650509
38	25-75-K4	8650333
38	25-75-UL-K4	8650331
38	25-10-U-K4	8650480
38	25-12-K4	13650125
38	25-12-U-K4	13650126
38	25-12-UL-K4	13650127
38	25-16-K4	8650332
38	25-16-UL-K4	8650330

NOTE: DVA20 valves have male clevis spools.

Page **	Code	Part No	Comments
10	DVA20-SA3	347-9171-002	
12	DVA20-JA305	347-9171-005	DV-PRVP not included
10	DVA20-SA7	347-9171-003	
12	DVA20-JA705	347-9171-006	DV-PRVP not included
22	DVA35-JA805	348-9171-006	Or DVA20-JA705 w/SAE-12 ports
10	DVA20-DA3	347-9172-002	
10	DVA20-HA355	347-9172-008	DV-PRVP not included
10	DVA20-HA355	347-9172-008	DV-PRVP not included
			Contact factory
10	DVA20-DA0	347-9172-001	Not ported, must port to SAE-10
12	DVA20-HA055	347-9172-007	Not ported, must port to SAE-10
10	DVA20-DA7	347-9172-003	
12	DVA20-HA755	347-9172-009	DV-PRVP not included
12	DVA20-HA755	347-9172-009	DV-PRVP not included
20	DVA35-DA8	348-9172-003	Or DVA20-DA7 w/SAE-12 ports
22	DVA35-HA855	348-9172-009	Or DVA20-HA755 w/SAE-12 ports
			Contact factory
10	DVA20-MA3	347-9172-005	
10	DVA20-MA7	347-9172-006	
20	DVA35-MA8	348-9172-006	Or use DVA20-MA7 w/SAE-12 ports
			Contact factory
10	DVA20-FC3	347-9172-037	
			Contact factory
			Contact factory
10	DVA20-FC7	347-9172-038	
			Contact factory
			Contact factory
			Contact factory
			Contact factory

Series 25P to Series DVA20

Page* = reference PL HY14-2700/US



Page** = cross-reference to PL HY14-2000/US

Page *	Code	Part No
25P Work Port Relief & Anti Cav Check Kits		
39	YC-1000	8650399
39	YC-1500	8650400
39	YC-3000	8650401
39	WH-1200	8650417
39	WH-1700	8650418
39	WH-1950	8650419
39	WH-2550	8650420
39	WH-3000	8650398
39	RP51A-3000	8650421
39	K-20-NR	8650382
39	K-42-UAC	8650378
39	K-42-LAC	8650377
39	K-WH-A	8650381
25P Mid-Inlet Sections		
39	25-100-CF	8650055
39	40-16-CF (25-16-CF)	8650056
39	40-16-SF (25-16-SF)	13650166
39	K-40-SF (K-42-SF)	8650080
39	K-40-CF (K-42-CF)	13650929
25P Spool Positioner Kits		
40	K-25-D	8650386
40	K-25-R	8650385
40	K-25-W	8650384
40	K-25-L	8650159
40	K-PA100-25	13030001
25P Handle End Option Kits		
40	K-25-VH-B	8650150
40	K-25-VH-P	8650148
40	K-25-HH-B	8650147
40	K-25-HH-P	8650145
40	K-25-BOOT	8650157
40	K-25-MA	8650158

Page **	Code	Part No	Comments
32	DV-PRV-1	391-1873-007	
32	DV-PRV-2	391-1873-008	1000-2500
32	DV-PRV-3	391-1873-009	2500-3500
32	DV-PRV-1	391-1873-007	500-1000 PSI
32	DV-PRV-2	391-1873-008	1000-2500 PSI
32	DV-PRV-2	391-1873-008	1000-2500 PSI
32	DV-PRV-2	391-1873-008	1000-2500 PSI
32	DV-PRV-3	391-1873-009	2500-3500 PSI
32	DV-PRVAC	391-1873-006	500-5000 PSI
32	DV-PRVP	391-1873-011	
32	DV-AC	391-1873-010	
32	DV-AC	391-1873-010	Standard on DV-PRVAC
25P to DVA20 Conversion			
8	DVA20-CFA30	347-9174-003	25P = 1" NPT, DVA20 = 3/4" NPT
8	DVA20-CFA70	347-9174-004	25P = SAE-16, DVA20 = SAE-12
8	DVA20-SFA70	347-9174-002	25P = SAE-16, DVA20 = SAE-12
			N/A
			N/A
DV20 to DVA20 Conversion			
33	DV20-K-101	391-1873-020	
33	DV20-K-114	391-1873-341	
33	DV20-K-102	391-1873-021	Stroke limiter N/A
33	DV20-K-113	391-1873-206	
DV20 to DVA20 Conversion			
33	DV20-H-6	391-1873-061	Different lengths/styles available
33	DV20-H-6	391-1873-061	Different lengths/styles available
			Horizontal N/A
			Horizontal N/A
			Contact factory
			Male clevis standard

NOTE: DVA20 valves have male clevis spools.

Series V40 to Series DVA20

DVA20 rated to 2500 PSI. Applications 2500-3500 PSI use DVG20.

Page* = reference PL HY14-2700/US

Page** = cross-reference to PL HY14-2000/US

Page *	Code	Part No
	V40 Inlet Covers	
42	40-LC-16	08650057
42	40-LC-20	13650085
42	40-LC-16-P-12	13650086
42	40-LC-20-P-12	13650087
42	40-LC-16-P-24	13650287
42	40-LC-20-P-24	13650288
42	40-LC-16-P-MECH	13650944
42	40-LC-20-P-MECH	13650945
	V40 Inlet Pressure Control Cartridge Kits	
42	K-40-CONT-ON	13650108
42	K-40-24-CNTRL	13650109
42	K-40-12-CNTRL	13650940
42	K-40-LC-CC-PLUG	13650947
	V40LS Load Sense Inlet Covers	
42	40-LC-16-LS	13650584
42	40-LC-20-LS	13650585
42	40-LC-16-P-LS	13650586
42	40-LC-20-P-LS	13650587
42	40-LC-16-LS-WEP	26157086
42	40-LC-20-LS-WEP	26157087
	V40 Main Relief Cartridge Kits	
43	RP60A-2500	08650393
43	K-40-NR	08650379
	V40 Outlet Covers	
43	40-RC-16-TMY	08650328
43	40-RC-16-E	13650960
43	40-RC-20-E	13650088
43	40-RC-16-EY	13650961
43	40-RC-20-EY	13650089
	V40LS Outlet Covers	
43	40-RC-16-LS-E	13650588
43	40-RC-20-LS-E	13650651

NOTE: DVA20 valves have male clevis spools.

Page **	Code	Part No	Comments
8	DVA20-N8888	347-9175-008	Use DVA20-A880 if tank port not needed
			Contact factory
			Being developed
			Being developed
			Being developed
			Being developed
			Being developed
			Being developed
			Being developed
			Being developed
			N/A
			N/A
			N/A
			N/A
			N/A
			N/A
			N/A
			N/A
			N/A
8	DVA20-MRV	391-1873-001	Use DV-PRVS when using DVA20-N8888
8	DVA20-MRVP	391-1873-002	Use DV-PRVP when using DVA20-N8888
			Contact Factory
9	DVA20-TR88	347-9176-002	SAE-16 ports top and side
			Contact factory. SAE-20 side only.
9	DVA20-PB80	347-9176-004	DVA20-PB08 for SAE-16 top ports
			N/A in SAE-20
			N/A
			N/A

Series V40 to Series DVA20

DVA20 rated to 2500 PSI. Applications 2500-3500 PSI use DVG20.

Page* = reference PL HY14-2700/US

Page** = cross-reference to PL HY14-2000/US

Page *	Code	Part No
	V40 Work Sections	
44	40-12-03	13650653
44	40-16-03	13650090
44	40-12-04	13650654
44	40-16-04	13650091
44	40-12-F4	13650655
44	40-16-F4	13650092
44	40-16-DF4	13650093
44	40-12-K4	13650656
44	40-16-K4	13650094
44	40-16-KO4-2000	13650095
44	40-12-04-HRO	13650657
44	40-16-04-HRO	13650096
44	40-16-W4-SS	13650098
44	40-16-WF4-SS	13650099
44	40-16-RG4	13650100
44	40-12-N-03	26157028
44	40-16-N-03	26157029
44	40-12-N-04	26157031
44	40-16-N-04	26157032
44	40-12-N-F4	26157034
44	40-16-N-F4	26157035
44	40-16-N-DF4	26157037
44	40-12-N-K4	26157038
44	40-16-N-K4	26157039
44	40-16-N-KO4-2000	26157040
44	40-12-N-04-HIRO	26157041
44	40-16-N-04-HIRO	26157042
	NPT porting is also available for DVA20 sections (2500 PSI maximum). Only SAE porting available for DVG20 (3500 PSI maximum)	

Page **	Code	Part No	Comments
12	DVA20-JA705	347-9171-006	
12	DVA20-JA705	347-9171-006	SAE-12 ports
12	DVA20-HA755	347-9172-012	
12	DVA20-HA755	347-9172-009	SAE-12 ports
12	DVA20-LA755	347-9172-012	
12	DVA20-LA755	347-9172-012	SAE-12 ports
12	DVA20-LA755	347-9172-012	Add DV20-K-101detent kit
10	DVA20-FC7	347-9172-038	NO port accessory machining
10	DVA20-FC7	347-9172-038	SAE-12 ports, No port access machining
			Contact factory
12	DVA20-HX755	347-9172-046	Over-ride N/A
12	DVA20-HX755	347-9172-046	SAE-12 ports, Over-ride N/A
			Add DV20-K-102 kit & DV20-SSPL-1 spool
			Add DV20-K-102 kit & DV20-SSPL-1 spool
			N/A
10	DVA20-SA7	347-9172-003	
10	DVA20-SA7	347-9172-003	SAE-12 ports
10	DVA20-DA7	347-9172-003	
10	DVA20-DA7	347-9172-003	SAE-12 ports
10	DVA20-MA7	347-9172-006	
10	DVA20-MA7	347-9172-006	SAE-12 ports
10	DVA20-MB7	347-9172-040	SAE-12 ports
			Contact factory
			Contact factory
			Contact factory
10	DVA20-DX7	347-9172-044	NO over-ride
10	DVA20-DX7	347-9172-044	SAE-12 ports, no over-ride

NOTE: DVA20 valves have male clevis spools.

Series V40 to Series DVA20

DVA20 rated to 2500 PSI. Applications 2500-3500 PSI use DVG20.

Page* = reference PL HY14-2700/US

Page** = cross-reference to PL HY14-2000/US

Page *	Code	Part No
V40 Mid-Inlet Sections		
49	40-16-CF (25-16-CF)	08650056
49	40-16-SF (25-16-SF)	13650166
49	40-16-SF/CF	26157025
49	K-40-SF (K-42-SF)	08650080
49	K-40-CF (K-42-CF)	13650929
V40 Work Port Relief & Anti-Cav Check Kits		
50	RD30-1200	08650779
50	RD30-1700	08650780
50	RD30-1950	08650781
50	RD30-2550	08650782
50	RP30A-2500	08650776
50	RP30A-AC-2500	08650777
50	K-30-AC	08650778
50	K-30-NR	08650733
V40 Spool Positioner Kits		
50	K-40-A	13650112
50	K-40-D	13650113
50	K-40-R	13650114
50	K-PA100-40	13082001
50	K-40-HR	13650953
50	K-40-VH	13650115
50	K-40-HH	13650116
50	K-40-IH	13650117
Rotary Control, On/off pilot operated & Detent out spring return in are also available		
V40 Handle End Option Kits		
50	K-30-RET	08650757
50	K-30-BOOT	08650758

NOTE: DVA20 valves have male clevis spools.

Page **	Code	Part No	Comments
8	DVA20-CFA70	347-9174-004	SAE-12 ports
8	DVA20-SFA70	347-9174-002	SAE-12 ports
			Only available in VA35, contact factory
			N/A
			N/A
32	DV-PRV-1	391-1-873-007	500-1000 PSI, DV-PRVS-1 for screw adj
32	DV-PRV-2	391-1873-008	1000-2500 PSI, DV-PRVS-2 for screw adj
32	DV-PRV-2	391-1873-008	1000-2500 PSI, DV-PRVS-2 for screw adj
32	DV-PRV-3	391-1873-009	2500-3500 PSI, DV-PRVS-3 for screw adj
32	DV-PRVAC	391-1873-006	500-5000 PSI, with A/C
32	DV-PRVAC	391-1873-006	500-5000 PSI
32	DV-AC	391-8730-100	
32	DV-PRVP	391-1873-011	
			N/A
33	DV20-K-101	391-1873-020	
33	DV20-K-114	391-1873-341	
33	DV20-K-113	391-1-873-206	
33	DV20-K-109	391-1873-173	
33	DV20-H-6	391-1-873-061	Other lengths and styles available
			N/A
33	DV20-H-4	391-1873-094	Other lengths and styles available
Rotary Control, On/off pilot operated & Detent out spring return in are also available			
			Contact factory
			Contact factory

Series V40 to Series DVA20

DVA20 rated to 2500 PSI. Applications 2500-3500 PSI use DVG20.

Page* = reference PL HY14-2700/US



Page** = cross-reference to PL HY14-2000/US

Page *	Code	Part No
V40 Assembly Stud Kits		
51	K-40-LRE-1	08650280
51	K-40-LRE-2	08650281
51	K-40-LRE-3	08650282
51	K-40-LRE-4	08650283
51	K-40-LRE-5	08650284
51	K-40-LRE-6	08650285
51	K-40-LRE-7	08650286
51	K-40-LRE-8	08650287
51	K-40-LRT-1	08650288
51	K-40-LRT-2	08650289
51	K-40-LRT-3	08650290
51	K-40-LRT-4	08650291
51	K-40-LRT-5	08650292
51	K-40-LRT-6	08650293
51	K-40-LRT-7	08650294
51	K-40-LRT-8	08650295
DVA20-N0000, N4444 & N8888 inlets use DVA20-NSK style stud kits.		
V40 Section Seal Kits		
51	K-40-SECT-SEAL	13650406

Page **	Code	Part No	Comments
9	DVA20-SK-1	391-1873-045	
9	DVA20-SK-2	391-1873-046	
9	DVA20-SK-3	391-1873-047	
9	DVA20-SK-4	391-1873-048	
9	DVA20-SK-5	391-1873-049	
9	DVA20-SK-6	391-1873-050	
9	DVA20-SK-7	391-1873-051	
9	DVA20-SK-8	391-1873-052	
9	DVA20-SK-1	391-1873-045	
9	DVA20-SK-2	391-1873-046	
9	DVA20-SK-3	391-1873-047	
9	DVA20-SK-4	391-1873-048	
9	DVA20-SK-5	391-1873-049	
9	DVA20-SK-6	391-1873-050	
9	DVA20-SK-7	391-1873-051	
9	DVA20-SK-8	391-1873-052	
9	DVA20-SK-1	391-1873-045	
9	DVA20-SK-2	391-1873-046	
9	DVA20-SK-3	391-1873-047	
9	DVA20-SK-4	391-1873-048	
9	DVA20-SK-5	391-1873-049	
9	DVA20-SK-6	391-1873-050	
9	DVA20-SK-7	391-1873-051	
9	DVA20-SK-8	391-1873-052	
Pilot seals included with sections			

NOTE: DVA20 valves have male clevis spools.

Series V42 to Series DVA20

DVA20 rated to 2500 PSI. Applications 2500-3500 PSI use DVG20.

Page * = reference PL HY14-2700/US

Page ** = cross-reference to PL HY14-2000/US

Page *	Code	Part No
	V42 Inlet Covers	
54	42-LC-20	08650032
54	42-LC-20-P	08650033
	V42 Main Relief Kits	
54	RP60A-2500	08650393
54	K-40-NR	08650379
	V42 Outlet Covers	
54	42-RC-20-E	08650034
54	42-RC-20-EY	08650036
54	42-RC-16-MY	08650582
54	42-RC-16-TP-24	13650282
54	42-RC-16-TP-12	08650583
54	42-RC-16-TPM	08650964
	V42P Parallel Work Sections	
55	42-12-03	13650138
55	42-12-U-03	13650142
55	42-16-U-03	08650038
55	42-12-04	13650137
55	42-12-U-04	13650140
55	42-12-UL-04	13650141
55	42-12-F4	13650139
55	42-12-K4	13650143
55	42-16-F4	08650040
55	42-16-UL-04	08650041
55	42-16-DF4	08650050
55	42-16-U-K04-2000	08650616
55	42-16-UL-DF4	08650047
55	42-16-04	08650481
55	42-16-U-04	08650617
55	42-16-UL-W4-SS	08650511
55	42-16-WF4-SS	08650510
55	42-16-W4	08650642
55	42-16-U-F4	13650284
55	42-16-UL-F4	13650285
55	42-16-04-HIRO	08650581
55	42-16-04-HRH	08650580

NOTE: DVA20 valves have male clevis spools.

Page **	Code	Part No	Comments
8	DVA20-A880	347-9175-002	SAE-16 ports Contact factory
8	DVA20-MRV	391-1873-001	
8	DVA20-MRVP	391-1873-002	
9	DVA20-TR88	347-9176-002	SAE-16 ports. Contact factory for SAE-20.
9	DVA20-PB80	347-9176-004	SAE-16 ports
9	DVA20-PB08	347-9176-005	Plug high pressure port for Closed Center Contact factory Contact factory Contact factory
9	DVA20-SA7	347-9171-003	
12	DVA20-JA705	347-9171-006	
12	DVA20-JA705	347-9171-006	SAE-12 ports
9	DVA20-DA7	347-9172-003	
12	DVA20-HA755	347-9172-009	
12	DVA20-HA755	347-9172-009	
9	DVA20-MA7	347-9172-006	
10	DVA20-FC7	347-9172-038	
9	DVA20-MA7	347-9172-006	SAE-12 ports
12	DVA20-HA755	347-9172-009	SAE-12 ports
10	DVA20-MB7	347-9172-040	SAE-12 ports Contact Factory, K/O in VA35 only
12	DVA20-LA755	347-9172-012	SAE-12 ports. Add DV20-K-101 detent kit
9	DVA20-DA7	347-9172-003	SAE-12 ports
12	DVA20-HA755	347-9172-009	SAE-12 ports
			Contact factory
9	DVA20-DA7	347-9172-003	Contact factory
12	DVA20-LA755	347-9172-012	SAE-12 ports. Add DV20-K-102 rotary kit
12	DVA20-LA755	347-9172-012	SAE-12 ports
12	DVA20-LA755	347-9172-012	SAE-12 ports
10	DVA20-DX7	347-9172-044	SAE-12 ports. No override handle. Contact factory

Series V42 to Series DVA20

DVA20 rated to 2500 PSI. Applications 2500-3500 PSI use DVG20.

Page* = reference PL HY14-2700/US Page** = cross-reference to PL HY14-2000/US

Page *	Code	Part No	Page **	Code	Part No	Comments
V42P Parallel Work Sections (cont)						
55	42-16-04-SOL-12	08650044				Contact factory
55	42-16-04-SOL-24	13650281				Contact factory
56	42-16-JUL-K4	08650045				Contact factory
56	42-16-RG4	08650046				Contact factory. Regen in VA35 only.
V42T Tandem Work Sections						
56	42T-16-U-04	08650039				Contact factory
V42 Mid-Inlet Sections						
56	42-16-CF	08650048	8	DVA20-CFA	347-9174-004	SAE-12 ports
56	42-16-SF	08650049	8	DVA20-SFA70	347-9174-002	SAE-12 ports
56	42-16-SF/CF	26157026				Contact factory. Available in VG35 only.
V42 Spool Positioner Kits						
56	K-42-A	08650162				N/A
56	K-42-D	08650163	33	DV20-K-101	391-1873-020	Contact factory
56	K-42-R	08650164				Contact factory
56	K-42-W	08650165	33	DV20-K-102	391-1873-021	Contact factory
56	K-42-SOL-12	08650166				Contact factory
56	K-42-SOL-24	13650283				Contact factory
56	K-42-HR	08650576	33	DV20-K-109	391-1873-173	Contact factory
56	K-42-HRO	08650577				Contact factory
56	K-PA100-42	13028001	33	DV20-K-113	391-1873-206	Contact factory
V42 Work Port Relief and Anti-Cav Check Kits						
57	YC-1000	08650399				Ball & spring R/V is N/A. Use DV-PRV
57	YC-1500	08650400				Ball & spring R/V is N/A. Use DV-PRV
57	YC-3000	08650401				Ball & spring R/V is N/A. Use DV-PRV
57	WH-1200	08650417	32	DV-PRV-1	391-1873-007	500-1000 PSI.
57	WH-1700	08650418	32	DV-PRV-2	391-1873-008	1000-2500 PSI
57	WH-1950	08650419	32	DV-PRV-2	391-1873-008	1000-2500 PSI
57	WH-2550	08650420	32	DV-PRV-2	391-1873-008	1000-2500 PSI
57	WH-3000	08650398	32	DV-PRV-3	391-1873-009	2500-3500 PSI
57	RP51A-3000	08650421	32	DV-PRVAC	391-1873-006	500-5000 PSI. Includes A/C
57	K-20-NR	08650382	32	DV-PRVP	391-1873-011	
57	K-42-UAC	08650378	32	DV-AC	391-1873-010	Use DV-PRVAC for R/V and A/C
57	K-42-LAC	08650377	32	DV-AC	391-1873-010	Use DV-PRVAC for R/V and A/C
57	K-WH-A	08650381				Kit N/A, use DV-PRVS-1,-2 0r -3

NOTE: DVA20 valves have male clevis spools.



Series V42 to Series DVA20

DVA20 rated to 2500 PSI. Applications 2500-3500 PSI use DVG20.

Page* = reference PL HY14-2700/US  Page** = cross-reference to PL HY14-2000/US

Page *	Code	Part No
	V42 Handle End Kits	
58	K-42-VH-B	08650174
58	K-42-VH-P	08650172
58	K-42-HH-B	08650171
58	K-42-HH-P	08650169
58	K-42-RET	08650175
58	K-42-BOOT	08650176
58	K-42-MA	08650177
	V42 Assembly Stud Kits	
58	K-40-LRE-1	8650280
58	K-40-LRE-2	8650281
58	K-40-LRE-3	8650282
58	K-40-LRE-4	8650283
58	K-40-LRE-5	8650284
58	K-40-LRE-6	8650285
58	K-40-LRE-7	8650286
58	K-40-LRE-8	8650287
58	K-40-LRE-9	13650957
58	K-40-LRE-10	13650958
58	K-40-LRT-1	8650288
58	K-40-LRT-2	8650289
58	K-40-LRT-3	8650290
58	K-40-LRT-4	8650291
58	K-40-LRT-5	8650292
58	K-40-LRT-6	8650293
58	K-40-LRT-7	8650294
58	K-40-LRT-8	8650295
		DVA20-N0000, N4444 & N8888 inlets use DVA20-NSK style stud kits
	V42 Solenoid Tube Kits	
58	K-42-TUBE	8650486

Page **	Code	Part No	Comments
33	DV20-H-6	391-1873-061	Other styles and lengths available
33	DV20-H-6	391-1873-061	Other styles and lengths available
			N/A
			N/A
			Standard
			Contact factory
			Standard
9	DVA20-SK-1	391-1873-045	
9	DVA20-SK-2	391-1873-046	
9	DVA20-SK-3	391-1873-047	
9	DVA20-SK-4	391-1873-048	
9	DVA20-SK-5	391-1873-049	
9	DVA20-SK-6	391-1873-050	
9	DVA20-SK-7	391-1873-051	
9	DVA20-SK-8	391-1873-052	
			Contact factory
			Contact factory
9	DVA20-SK-1	391-1873-045	
9	DVA20-SK-2	391-1873-046	
9	DVA20-SK-3	391-1873-047	
9	DVA20-SK-4	391-1873-048	
9	DVA20-SK-5	391-1873-049	
9	DVA20-SK-6	391-1873-050	
9	DVA20-SK-7	391-1873-051	
9	DVA20-SK-8	391-1873-052	
			Contact factory
			Contact factory
9	DVA20-SK-1	391-1873-045	
9	DVA20-SK-2	391-1873-046	
9	DVA20-SK-3	391-1873-047	
9	DVA20-SK-4	391-1873-048	
9	DVA20-SK-5	391-1873-049	
9	DVA20-SK-6	391-1873-050	
9	DVA20-SK-7	391-1873-051	
9	DVA20-SK-8	391-1873-052	
			N/A

NOTE: DVA20 valves have male clevis spools.

Series V50 to Series DVA35

DVA35 rated to 2500 PSI. DVG35 rated to 3500 PSI.

Page* = reference PL HY14-2700/US  Page** = cross-reference to PL HY14-2000/US

Page *	Code	Part No
	V50 Inlet Covers	
60	50-LC-20-E	08650535
60	50-LC-20-T	08650536
	V50 Main Relief Kits	
60	K-50-NR	08650561
60	RP50A-2500	08650560
	V50 Outlet Covers	
60	50-RC-20-ETY	13650650
	V50 Outlet Cover Conversion Kits	
60	K-SAE-20	08650302
60	K-50-C	08650563
60	K-50-16Y	08650564
	V50P Parallel Work Sections	
61	50-16-03	08650538
61	50-16-04	08650540
61	50-16-F4	08650541
61	50-16-DF4	08650542
61	50-16-K4	08650543
61	50-16-04-HR	08650544
61	50-16-F4-HR	08650545
	V50T Tandem Work Sections	
61	50T-16-03	08650546
61	50T-16-04	08650547
61	50T-16-K4	08650548
61	50T-16-04-HR	08650549
61	50S-16-04	13650144

Page **	Code	Part No	Comments
18	DVA35-A980	348-9175-002	No outlet or gauge port, plug top port
25	DVG35-A990	348-9175-009	No outlet or gauge port, plug end port
18	DVA35-MRVP	391-1873-005	
18	DVA35-MRV-1	391-1873-003	MRV-2 for 2000-2500
19	DVA35-TR99	348-9176-002	
19	DVA35-PB90	348-9176-004	Dedicated power beyond outlet
32	DV-DPL-20	391-1873-018	SAE 20 plug for high pressure port
			Contact factory
20	DVA35-SA8	348-9171-003	DVA35-JA805 when using port accessory
20	DVA35-DA8	348-9172-003	DVA35-HA855 when using port accessory
20	DVA35-MA8	348-9172-006	DVA35-LA855 when using port accessory
20	DVA35-MA8	348-9172-006	Add DV35-K-201 detent kit
22	DVA35-GC855	348-9172-032	
20	DVA35-DX8	348-9172-040	DVA35-HX855 when using port accessory
22	DVA35-MX8	348-9172-059	DVA35-LX855 when using port accessory
			Contact factory
			Contact factory
			Contact factory
			Contact factory
	DVG35-WHA855	348-9172-084	

Series V50 to Series DVA35

DVA35 rated to 2500 PSI. DVG35 rated to 3500 PSI.

Page* = reference PL HY14-2700/US  Page** = cross-reference to PL HY14-2000/US

Page *	Code	Part No
V50 Mid-Inlet Sections		
61	20/50-16-SF	08650798
61	20/50-16-CF	08650797
61	50-16-SF	13650941
61	50-16-CF	13650942
V50 Handle End Kits		
61	K-50-VH	08650567
61	K-50-HH	08650566
61	K-50-BOOT	08650565
V50 Assembly Stud Kits		
62	K-50-1L	13650644
62	K-50-2L	13650645
62	K-50-3L	13650646
62	K-50-4L	13650647
62	K-50-5L	13650648
62	K-50-6L	13650649
V50 Spool Positioner Kits		
62	K-50-D	8650562
62	K-PA100-50	13044001
62	K-50-HR	13044001
62	K-50-HRO	13650949
V50 Work Port Relief & Anti-Cav Check Kits		
62	RF50A-2500	8650560
62	RF50A-AC-2500	8650966
62	K-50-AC	8650558
62	K-50-NR	8650561

Page **	Code	Part No	Comments
			N/A
			N/A
25	DVG35-SFA80	348-9174-005	
18	DVA35-CFA80	348-9174-004	
33	DV35-H-6	391-1873-064	Other styles and length available
			N/A
			Contact factory
19	DVA35-SK-1	391-1873-053	
19	DVA35-SK-2	391-1873-054	
19	DVA35-SK-3	391-1873-055	
19	DVA35-SK-4	391-1873-056	
19	DVA35-SK-5	391-1873-057	
19	DVA35-SK-6	391-1873-058	DVA35-SK-7 & SK-8 available
33	DV35-K-201	391-1873-027	
33	DV35-K-213	391-1873-203	
33	DV35-K-209	391-1873-170	Contact factory
32	DV-PRVAC	391-1873-006	
32	DV-PRVAC	391-1873-006	
32	DV-AC	391-1873-010	
32	DV-PRVP	391-1873-011	



Parker Hannifin Corporation
Hydraulic Valve Division
520 Ternes Avenue
Elyria, Ohio, USA 44035
Tel: (440) 366-5200
Fax: (440) 366-5253
www.parker.com/hydraulicvalve

Bulletin HY14-2005-B1/US,
3C, 4/05, PHD